



800-634-8981 [info@ameri-shred.com](mailto:info@ameri-shred.com)



**SOLID STATE DRIVE SHREDDERS**

AMS-500-SSD / 750-SSD / 1000-SSD

**SSD & ROTARY DRIVE SHREDDERS:**

AMS-500HD-SSD / 750HD-SSD / 1000HD-SSD

**Options:**

- Air particulate system: (See 2nd page)
- Backlit laser burned logos
- Fork pockets
- Extended infeed (as shown)
- Mobile truck installation

**SPECIFICATION CHART**

Motor	5, 7.5 OR 10 HP TEFC
SSD Shred Width	3/8"
Rotary Drive Shred Widths	1.5" , 1" or 3/4"
Single Infeed	11" W x 2.5" H
Dual Infeed's	5" W x 2.5" H
Voltage	208/230/460v- 3 Phase
Output	Discharge Conveyor
Dimensions	77" L x 56" W x 56" H

**THROUGHPUT**

Model Number	HP	Shred Widths	Solid State Drives / Hour	Standard Rotary Drives / Hour	Server Drives / Hour	Weight
AMS-500-SSD	5	3/8"	1500	N/A	N/A	2500 Lbs.
AMS-750-SSD	7.5	3/8"	1800	N/A	N/A	2700 Lbs.
AMS-1000-SSD	10	3/8"	2000	N/A	N/A	3100 Lbs.
AMS-500HD-SSD	5	3/8" / 1.5"	1500	1500	750	2700 Lbs.
AMS-750HD-SSD	7.5	3/8" / 1.5"	1800	1800	900	3000 Lbs.
AMS-750HD-SSD	7.5	3/8" / 1"	1350	1350	675	3000 Lbs.
AMS-750HD-SSD	7.5	3/8" / 3/4"	900	900	450	3000 Lbs.
AMS-1000HD-SSD	10	3/8" / 1.5"	2000	2000	1000	3400 Lbs.
AMS-1000HD-SSD	10	3/8" / 1"	1500	1500	750	3400 Lbs.
AMS-1000HD-SSD	10	3/8" / 3/4"	1000	1000	500	3400 Lbs.

## AIR FILTRATION SYSTEMS

### Optional on Solid State Drive Shredders: Series 2 & Series 3

The AMS air filtration system was designed to help reduce possible odors and/or contaminants from escaping into the atmosphere during solid state drive destruction.

#### Standard Features:

- Inexpensive and disposable pre-filter protects the blower and HEPA filter
- The blower is housed in cast aluminum
- The blast gate serves as an air flow control valve

#### SPECIFICATION CHART

Motor	1 HP TEFC
Air Flow	400 CFM at 3" static
Efficiency	99.97% on particles 0.3



Ameri-Shred's air filtration systems consist of six major components which include the inlet, pre-filter, blower, blast gate, HEPA filter and ductwork.

An air filtration system must be part of your original order. It cannot be retrofit at a later date.