
System Overview



- Field upgradeable
- Non-marking supports all color print technologies
- UI has fold wizard
- Manual loading
- station
- Programmable sealing levels
- Automatically

Specifications

Inserter	<u>Min</u>	<u>Max</u>
Cycle speed		4,000 / Hr.
Envelope size	S65/DL	B4
Envelope (H x W)	105 x 225	353 x 353
Document (H x W)	93 x 210	300 x 315
Insert Thickness	60 gsm	12mm
Tower Feeder		
Feeders per Tower	3* (High Cap Bins)	6 (std. bins)
Towers per System	1	2
Stack Height	28mm (std. bin)	70mm (Hi cap bins)
Sheet Size (H x W)	93 x 210	300 x 315
Paper Weight	60 gsm	200 gsm
Booklet Feeder (opt)	80 gsm	8 mm
Accumulator / Folder		
Sheet Size	210 x 270	300 x 300
Fold Capacity (80 gsm)		7 pg "C", "Z" 10 pg Half

Optional Modules



The new Plockmatic Reflex

Mid-range Inserting System

Industry Leading Capabilities

Simple and intuitive operation Automated job change-over Widest application range



A unique solution for

- Short run jobs
- Automation of manual inserting
- Reprints processing
- Fast turn-around times

